nec à 4 20th

บชอ

## In the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims**

Claims 1-51: Cancelled

52. (Currently Amended) An endostatin protein consisting of a fragment of a NC1 region of a collagen protein, wherein the fragment inhibits angiogenesis,

the endostatin protein having a molecular weight of approximately 18kDa as determined by non-reducing gel electrophoresis, wherein the N-terminal amino acid sequence is shown in SEQ ID NO:1 and wherein the protein is further characterized by its ability to specifically inhibit proliferating cultured endothelial cells.

- 53. (Previously Presented) The protein of Claim 52, wherein the protein is a fragment of a non-fibrillar collagen protein.
- 54. (Previously Presented) The protein of Claim 52, wherein the protein is a fragment of a collagen type XVIII protein.
- 55. (Previously Presented) The protein of Claim 52, wherein the protein is a fragment of a collagen type XV protein.
  - 56. (Cancelled)
- 57. (Previously Presented) The protein of Claim 52, wherein the protein is produced recombinantly.
- 58. (Previously Presented) The protein of Claim 52, wherein the protein is naturally occurring.

- 59. (Previously Presented) The protein of Claim 52, wherein the protein is human.
- 60. (Previously Presented) The protein of Claim 52, wherein the protein inhibits angiogenesis *in vivo*.
- 61. (Previously Presented) The protein of Claim 52, wherein the protein inhibits angiogenesis *in vitro*.
  - 62. (Cancelled)
- 63. (Currently Amended) A composition comprising, an endostatin protein combined with an angiostatin protein, wherein the endostatin protein consists of a fragment of a NC1 region of a collagen protein, wherein the angiostatin protein is a fragment of a kringle region of plasminogen and wherein the endostatin protein and the angiostatin protein are further characterized by their ability to inhibit angiogenesis,

the endostatin protein having a molecular weight of approximately 18kDa as determined by non-reducing gel electrophoresis, wherein the N-terminal amino acid sequence is shown in SEQ ID NO:1 and wherein the protein is further characterized by its ability to specifically inhibit proliferating cultured endothelial cells.

- 64. (Previously Presented) The composition of Claim 63, wherein the endostatin protein is a fragment of a non-fibrillar collagen protein.
- 65. (Previously Presented) The composition of Claim 63, wherein the endostatin protein is a fragment of a collagen type XVIII protein.
- 66. (Previously Presented) The composition of Claim 63, wherein the endostatin protein is a fragment of a collagen type XV protein.

- 67. (Cancelled)
- 68. (Previously Presented) The composition of Claim 63, wherein the endostatin protein and angiostatin protein are produced recombinantly.
- 69. (Previously Presented) The composition of Claim 63, wherein the endostatin protein and angiostatin protein are naturally occurring.
- 70. (Previously Presented) The composition of Claim 63, wherein the endostatin protein and angiostatin protein are human.
- 71. (Previously Presented) The composition of Claim 63, wherein the endostatin protein and angiostatin protein inhibit angiogenesis *in vivo*.
- 72. (Previously Presented) The composition of Claim 63, wherein the endostatin protein and angiostatin protein inhibit angiogenesis *in vitro*.
  - 73. (Cancelled)